
# ODESSA CHROMIUM #2 TEXAS

EPA ID# TXD980697114



## **EPA REGION 6**

**CONGRESSIONAL DISTRICT** 

19 Ector County

Other Names: Andrews Highway

Updated: 08/10/99

# **Site Description**

**Location:** ! The site is located in the vicinity of Andrews Highway between West 52nd St.

and West 57th St., Odessa, Ector County, Texas.

**Population:** ! Approximately 3500 persons live outside the city limits within one mile of the

site.

**Setting:** ! Nearest residence is within the site.

! Nearest drinking water well is on-site.

! Approximately 400 water wells are within 1/2-mile of the site.! Several municipal supply wells are within 1/2-mile of the site.

! Sources of contamination are within a 15-acre industrial area outside of Odessa.

! The estimated surface projection of ground water plumes is more than 40 acres.

**Hydrology:** ! Trinity-Edwards aquifer is sandstone and conglomerate rock overlaid by 20 ft.

to 60ft. of soil and caliche (hard-pan).

! The aguifer is 60ft. to 100 ft. thick, and underlaid by redbed clays.

! The depth to ground water at the site is 75 ft.

## Wastes and Volumes -

! The principal pollutant at the Odessa II site is hexavalent chromium, ranging to 9.9 ppm in the ground water.


! The estimated volume of contaminated ground water in the aquifer was approximated at 200 million gallons.

# **Site Assessment and Ranking**

## NPL LISTING HISTORY

Site HRS Score: 42.24 Proposed Date: 10/15/84 Final Date: 5/20/86 NPL Update: No. 2

# **Site Map and Diagram**



## The Record of Decision

Signed: September 8, 1986 (Alternate Water Supply) Signed: March 18, 1988 (Source Control/Ground Water)

# **The Remediation Process**

#### Site History:

- ! Contamination resulted from chrome plating operations from the late 1960s 1970s.
- ! Cleanup at the site was divided into three phases, or operable units: development of an alternate water supply (AWS) for area residents, and cleanup of the contaminated ground water (Source Control/Ground Water). The latter phase deals with operable units two and three, a north plume of contamination under an enforcement scenario with potentially responsible parties (PRPs) funding the cleanup, and a south plume under a "Fund-lead" scenario (cost-recovery only).
- ! The Remedial Investigations and Feasibility Studies (RI/FS) for the AWS and remediation phases were completed in September 1986 (AWS) and March 1988 (Source/Ground Water).
- ! The RI/FS and South Plume activities were conducted by the Texas Natural Resource Commission (TNRCC).

#### **Health Considerations:**

- ! More than a 40-acre portion of the sole source aquifer (Trinity) showed contamination.
- ! 14 out of 318 wells sampled show total chromium at or above the drinking water standard which was .05 milligrams/liter (mg/l).
- ! 4 of 8 monitoring wells within the zone, and 3 of 12 monitoring wells within the Trinity Aquifer contained chromium at or above 0.05 mg/l.
- ! Affected wells are outside of city water supply service area.

#### **Alternate Water Supply Phase (AWS):**

! For this phase, the Record of Decision (ROD) calls for an extension of the existing municipal water supply system to those persons residing within the impacted area.

#### **Source Control/Ground Water:**

Trinity Aquifer, for the South Plume.	emical treatment of contaminated ground water from the an ION exchange treatment for the North Plume.		
Other Remedies Considered	Reason Not Chosen		
Alt	ernate Water Supply		
1. "No Action"	Did not meet remedial objectives; not protective of human health and the environment		
2. Development of surface water supply	High monthly water bills for users, Water Association must be formed		
3. Removal via treatment	Stringent operational review required to insure contaminants are properly removed		
4. Development of new well field	Long term supply of water questionable		
Sourc	e Control/Ground Water		
1. "No Action"	Did not meet remedial objectives; not protective of human health or the environment		
2. Containment Wall	Difficult to implement; high cost to uses		
3. Ion Exchange	System will generate a hazardous sludge		
4. Chemical Treatment	Treatment may increase TDS of ground water		

! The action level for chromium contamination in ground water was revised from 0.05 mg/l to 0.10 mg/l to reflect the new drinking water standards promulgated in the <u>Federal Register</u> No. 3528 on January 30, 1991.

# **Community Involvement**

- ! Community Involvement Plan: Developed 6/85, revised 9/89, and again in 12/92.
- ! Open houses and workshops: 4/86, 12/87, 9/89, 1/91
- ! Proposed Plan Fact Sheet and Public Meeting: 7/86 (AWS), 1/88 (Source/Ground Water)
- ! ROD Fact Sheet: 9/86 (AWS), 3/88 (Source/Ground Water)
- ! Milestone Fact Sheets: 1/85, 8/85, 12/87, 3/90, 9/90 (TWC), 12/90 (TWC), 1/91 (TWC), 8/94

(TNRCC), Explanation of Significant Differences Notice 10/94.

- ! Citizens on mailing list: 33
- ! Constituency Interest: Low to moderate concerns regarding site after alternate water supply was brought on-line.
- ! Site Repository: Ector County Library, 321 West Fifth Street, Odessa, TX 79761

## **Technical Assistance Grant** -

! Availability Notice: 4/11/89

! Letters of Intent Received: 1) Gerald Fugit, Chrom Sites, Inc. - 12/20/90

Draft Application Received: 4/10/91
 Grant Award: None - application denied
 Current Status: No TAG in process.

### Contacts —

! Remedial Project Manager (EPA): Ernest Franke PE, 214-665-8521, Mail Code: 6SF-AP or

! State Contact: (TNRCC) James Sher, PE 512/239-2444, Mail Code 143

! Community Involvement Coordinator: Olivia Balandrán, 214-665-6584, Mail Code: 6SF-P

! Attorney (EPA): Anne Foster, 214-665-2169, Mail Code: 6SF-DL

! State Coordinator (EPA): Karen Bond, 214-665-6682, Mail Code: 6SF-AP

! Engineering: South Plume: IT Corp./Howell Eng., Wade Howell, Site Engineer

! Prime Contractor/s: Panhandle Construction Co. (AWS)

South Plume: Waste Abatement Technology (Pump and Treat GW &

Ferrous Sulfate Treatment

! Engineering: North Plume: ERM Southwest, Ron Grimes, Project Manager

Bureau of Reclamation (Oversight)

## 

! The residents around the Odessa Chromium #2 site are now provided with safe drinking water, eliminating possible health threats while ground water cleanup activities continue to reduce contamination at the site.

! The Remedial Design for the North Plume included both electrochemical treatment and ion exchange with resin recycling (thus addressing waste sludge concerns). The Remedial Action is proceeding for ion exchange.

! An Explanation of Significant Differences (ESD) for the change from electrochemical treatment to ion exchange for the North Plume was signed June 28, 1994. The public was notified in October of 1994.

! The ground water pump and treatment system is operating for the north plume, only. The Trinity Aquifer wells at the South Plume have attained the cleanup standard and the Odessa Chromium II plant is shutdown

with only two perch zone wells being pumped at the South plume and the water is measured separately and transported to Odessa Chromium I for treatment.

- ! The perch zone wells were injected with an effluent mixed with Ferrous Sulfate and Hydrochloric Acid in January 1999, into the leachate field.
- ! Explanation of Significant Difference notice (ESD) to ROD, adding in situ Ferrous Sulfate treatment has been signed/approved by EPA on 10/25/99

D C.			
Renetits			
Denenia			

- ! A safe alternate drinking water supply is being provided for approximately 3,500 people living in the site area.
- ! The remedy, once complete, will have treated millions of gallons of contaminated ground water from the Trinity source aquifer in the Odessa area.